

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L39 and (compar\$ same (colinear\$ or regressi\$) same error\$)	0

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

10/605768

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, August 18, 2007
[Create Case](#)

[Purge Queries](#)

[Printable Copy](#)

Set
Name Query
side by
side

Hit
Count Set
Name
result
set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD;
THES=ASSIGNEE; PLUR=YES; OP=OR

L39 and (compar\$ same (colinear\$ or regressi\$) same

<u>L52</u>	error\$)	0	<u>L52</u>
<u>L51</u>	L39 and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L51</u>
<u>L50</u>	L39 and (compar\$ same confiden\$ same (threshold\$ with error\$))	0	<u>L50</u>
<u>L49</u>	L39 and (compar\$ same (confiden\$) same (threshold\$ with error\$))	0	<u>L49</u>
<u>L48</u>	L39 and gps\$ and vehicle and (compar\$ same (confiden\$) same (threshold\$ with error\$))	0	<u>L48</u>
<u>L47</u>	L39 and gps\$ and vehicle and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L47</u>
<u>L46</u>	L41 and gps\$ and vehicle and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L46</u>
<u>L45</u>	L44 and gps\$ and vehicle and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L45</u>
<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L44</u>	L43 and (compar\$ same (driver\$ near4 input\$))	10	<u>L44</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L43</u>	L42 and inputs	26	<u>L43</u>
<u>L42</u>	L41 and (driver\$ near4 input\$)	26	<u>L42</u>
<u>L41</u>	L40 and ((automobile or vehicle or car\$ or driv\$) same input\$)	97	<u>L41</u>
<u>L40</u>	L39 and ((701/201 701/202 701/208 701/209 701/210 701/211 701/213).ccls.)	150	<u>L40</u>
<u>L39</u>	L37 or L38	530	<u>L39</u>
<u>L38</u>	((compar\$ with (path\$ or way\$ or route\$)) same gps\$) and @pd<=20031024	306	<u>L38</u>
<u>L37</u>	((compar\$ with (path\$ or way\$ or route\$)) same gps\$) and @ad<=20031024	521	<u>L37</u>
<i>DB=PGPB,USPT,USOC; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			

<u>L36</u>	L35 and @ad<=20031024	26	<u>L36</u>
<u>L35</u>	L34 and ((compar\$ with (path\$ or way or route)) with (predict\$ or forecast\$)) and ((calculat\$ or desire\$ or plan\$) with (path\$ or way or route))	41	<u>L35</u>
<u>L34</u>	(701/202 701/208 701/209 701/210 701/213).ccls. <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>	5214	<u>L34</u>
<u>L33</u>	L32 and ((calculat\$ or desire\$ or plan\$) with (path\$ or way or route))	21	<u>L33</u>
<u>L32</u>	L30 and ((compar\$ with (path\$ or way or route)) with (predict\$ or forecast\$))	34	<u>L32</u>
<u>L31</u>	L30 and (compar\$ with (predict\$ or forecast\$))	36	<u>L31</u>
<u>L30</u>	L16 and ((701/201 701/202 701/208 701/209 701/210 701/211 701/213).ccls.)	44	<u>L30</u>
<u>L29</u>	L28 and ((701/201 701/202 701/208 701/209 701/210 701/211 701/213).ccls.)	1	<u>L29</u>
<u>L28</u>	L24 or L25	45	<u>L28</u>
<u>L27</u>	L26	9	<u>L27</u>
<u>L26</u>	L25	9	<u>L26</u>
<u>L25</u>	(linear\$ with regression\$) and (pitch\$ and yaw\$ and (speed\$ or velocit\$)) and L11	9	<u>L25</u>
<u>L24</u>	(linear\$ with regression\$) and (pitch\$ and yaw\$ and (speed\$ or velocit\$)) and gps\$	45	<u>L24</u>
<u>L23</u>	(linear\$ with regression\$) and (pitch\$ and yaw\$ and (speed\$ or velocit\$)) and L16	1	<u>L23</u>
<u>L22</u>	(linear\$ adj regression\$) and (pitch\$ and yaw\$ and (speed\$ or velocit\$)) and L16	1	<u>L22</u>
<u>L21</u>	(linear\$ adj regression\$ adj model\$) and (pitch\$ and yaw\$ and (speed\$ or velocit\$)) and L16	1	<u>L21</u>
<u>L20</u>	L19 and (pitch\$ or yaw\$ or (speed\$ or velocit\$))	2	<u>L20</u>
<u>L19</u>	L16 and (linear\$ adj regression\$ adj model\$)	2	<u>L19</u>
<u>L18</u>	L17 and ((speed\$ or velocit\$) with (vehicle or car\$ or automobil\$))	7	<u>L18</u>
<u>L17</u>	L16 and ((confide\$ or trust\$ or reliab\$) near2	16	<u>L17</u>

	(degree\$ or level\$ or scal\$))		
<u>L16</u>	L14 or L15	189	<u>L16</u>
<u>L15</u>	L13 and @pd<=20031024	122	<u>L15</u>
<u>L14</u>	L13 and @ad<=20031024	189	<u>L14</u>
<u>L13</u>	gps\$ and ((compar\$ with (path\$ or way or route)) same (predict\$ or forecast\$))	287	<u>L13</u>
<u>L12</u>	L10 and @pd<=20031024	5820	<u>L12</u>
<u>L11</u>	L10 and @ad<=20031024	9464	<u>L11</u>
<u>L10</u>	gps\$ and ((compar\$ with (path\$ or way or route)) sme (predict\$ or forecast\$))	15325	<u>L10</u>
<i>DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L9</u>	gps\$ and vehicle and ((compar\$ with confiden\$) same error\$)	0	<u>L9</u>
<u>L8</u>	gps\$ and vehicle and ((compar\$ with confiden\$) same (threshold\$ with error\$))	0	<u>L8</u>
<u>L7</u>	gps\$ and vehicle and ((colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L7</u>
<u>L6</u>	gps\$ and vehicle and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L6</u>
<i>DB=PGPB; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L5</u>	L1 and (chaos\$ same compar\$)	1	<u>L5</u>
<u>L4</u>	L1 and threshold\$.clm.	1	<u>L4</u>
<u>L3</u>	L1 and (error\$ same threshold\$)	1	<u>L3</u>
<u>L2</u>	L1 and (colinear\$ same confiden\$)	1	<u>L2</u>
<u>L1</u>	20050090938	1	<u>L1</u>

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Sat, 18 Aug 2007, 9:44:12 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

10/605768

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|-----------|---|
| <u>#1</u> | (compar* <paragraph> ((colinear* <or> regression*) <sentence> confiden*) <paragraph> (threshold* <sentence> error*)) <in> pdfdata |
| <u>#2</u> | (compar* <and> ((colinear* <or> regression*) <sentence> confiden*) <paragraph> (threshold* <sentence> error*)) <in> pdfdata |
| <u>#3</u> | (compar* <and> ((colinear* <or> regression*) <sentence> confiden*) <paragraph> (threshold* <sentence> error*)) <in> pdfdata |
| <u>#4</u> | (compar* <and> ((colinear* <or> regression*) <sentence> confiden*) <paragraph> (threshold* <sentence> error*)) <in> pdfdata |
| <u>#5</u> | (compar* <and> ((colinear* <or> regressi*) <sentence> confiden*) <paragraph> (threshold* <sentence> error*)) <in> pdfdata |
| <u>#6</u> | (compar* <and> ((co-linear* <or> regressi*) <sentence> confiden*) <paragraph> (thres-hold* <sentence> error*)) <in> pdfdata |
| <u>#7</u> | (compar* <and> ((co-linear* <or> regressi*) <sentence> confiden*) <paragraph> (threshold* <sentence> error*)) <in> pdfdata |
| <u>#8</u> | (compar* <and> ((co-linear* <or> regressi*) <sentence> confiden*) <paragraph> (threshold* <sentence> error*)) <in> pdfdata |

Indexed by


[Help](#) | [Contact Us](#) | [Privacy & S](#)

© Copyright 2006 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(compar* <and> ((colinear* <or> regression*) <sentence> confiden*) <paragraph> &g..."

Your search matched 1 of 1632036 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)**Modify Search**

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#)
[Deselect All](#)

- ☐ 1. Optimization of voiced/Unvoiced decisions in nonstationary noise enviro
 Kobatake, H.;
Acoustics, Speech, and Signal Processing [see also IEEE Transactions on Sig
IEEE Transactions on
 Volume 35, Issue 1, Jan 1987 Page(s):9 - 18
AbstractPlus | Full Text: PDF(968 KB) IEEE JNL
Rights and Permissions

 Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE –



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [C](#)

Welcome United States Patent and Trademark Office

AbstractPlus

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[View Search Results](#)

e-r

Access this document

Full Text: [PDF](#) (968 KB)

Download this citation

Choose [Citation & Abstract](#)

Download [ASCII Text](#)

[» Learn More](#)

[Rights and Permissions](#)

[» Learn More](#)

Optimization of voiced/Unvoiced decisions in nonstationary environments

Kobatake, H.

Tokyo University of Agriculture and Technology, Tokyo, Japan

This paper appears in: [Acoustics, Speech, and Signal Processing \[see also IEEE Transactions on Acoustics, Speech, and Signal Processing\]](#), [IEEE Transactions on](#)

Publication Date: Jan 1987

Volume: 35 , Issue: 1

On page(s): 9 - 18

ISSN: 0096-3518

Posted online: 2003-01-29 10:33:02.0

Abstract

This paper describes a way of optimizing the autocorrelation method of voiced/unvoiced decisions which is heavily degraded by nonstationary ambient noise. Usually a constant threshold in the correlation peak value is compared for voiced/unvoiced decision. The optimal threshold function of noise characteristics and the signal-to-noise ratio. This paper presents a method of probability density function of correlation peak values from noisy speech and also of estimating threshold based on the expected error rate of the voiced/unvoiced decision. The performance of the method has been tested under various noise characteristics and signal-to-noise ratios. The estimated threshold is very close to the true optimal threshold in almost all cases. The method also retains the optimality under slowly time-varying noise conditions, even if no a priori information is available about noise characteristics or noise level.

Index Terms

Indexing

Controlled Indexing

Not Available

Non-controlled Indexing

Not Available

Author Keywords

Not Available

References


No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEE Xplore.

[View Search Results](#)

Indexed by



[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

Refine Search

Search Results -

Terms	Documents
gps\$ and vehicle and ((compar\$ with confiden\$) same error\$)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

10/605,768

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, August 18, 2007
[Create Case](#)

[Purge Queries](#)

[Printable Copy](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>		
<u>L9</u>	gps\$ and vehicle and ((compar\$ with confiden\$) same error\$)	0	<u>L9</u>
<u>L8</u>	gps\$ and vehicle and ((compar\$ with confiden\$) same (threshold\$ with error\$))	0	<u>L8</u>
	gps\$ and vehicle and ((colinear\$ or regressi\$) same		

<u>L7</u>	(threshold\$ with error\$))	0	<u>L7</u>
<u>L6</u>	gps\$ and vehicle and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L6</u>
<i>DB=PGPB; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L5</u>	L1 and (chaos\$ same compar\$)	1	<u>L5</u>
<u>L4</u>	L1 and threshold\$.clm.	1	<u>L4</u>
<u>L3</u>	L1 and (error\$ same threshold\$)	1	<u>L3</u>
<u>L2</u>	L1 and (colinear\$ same confiden\$)	1	<u>L2</u>
<u>L1</u>	20050090938	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L58 and (compar\$ same (predict\$ with path\$) same (desir\$ with path\$))	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

10/605,768

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, August 18, 2007
[Create Case](#)

[Purge Queries](#)

[Printable Copy](#)

Set
Name Query
 side by
 side

Hit
Count Set
Name result
 set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD;
 THES=ASSIGNEE; PLUR=YES; OP=OR

<u>L59</u>	L58 and (compar\$ same (predict\$ with path\$) same (desir\$ with path\$))	1	<u>L59</u>
<u>L58</u>	l54 or l55 or l56 or l57 <i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i> (4897642 5043736 5146231 4672382 5173709	50	<u>L58</u>
<u>L57</u>	4881080 5089816 2861264 4599620 4949089 4954833 4903212 4741245)! [PN]	13	<u>L57</u>
<u>L56</u>	("5266958") [PN] <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>	1	<u>L56</u>
<u>L55</u>	153 <i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>	1	<u>L55</u>
<u>L54</u>	("5266958") [URPN] <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>	36	<u>L54</u>
<u>L53</u>	l13 and (compar\$ same (predict\$ with path\$) same (desir\$ with path\$))	1	<u>L53</u>
<u>L52</u>	L39 and (compar\$ same (colinear\$ or regressi\$) same error\$)	0	<u>L52</u>
<u>L51</u>	L39 and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L51</u>
<u>L50</u>	L39 and (compar\$ same confiden\$ same (threshold\$ with error\$))	0	<u>L50</u>
<u>L49</u>	L39 and (compar\$ same (confiden\$) same (threshold\$ with error\$))	0	<u>L49</u>
<u>L48</u>	L39 and gps\$ and vehicle and (compar\$ same (confiden\$) same (threshold\$ with error\$))	0	<u>L48</u>
<u>L47</u>	L39 and gps\$ and vehicle and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L47</u>
<u>L46</u>	L41 and gps\$ and vehicle and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L46</u>
<u>L45</u>	L44 and gps\$ and vehicle and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with	0	<u>L45</u>

error\$))

DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR

L44 L43 and (compar\$ same (driver\$ near4 input\$)) 10 L44

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD;

THES=ASSIGNEE; PLUR=YES; OP=OR

L43 L42 and inputs 26 L43

L42 L41 and (driver\$ near4 input\$) 26 L42

L41 L40 and ((automobile or vehicle or car\$ or driv\$) same input\$) 97 L41

L40 L39 and ((701/201 |701/202 |701/208 |701/209 |701/210 |701/211 |701/213).ccls.) 150 L40

L39 L37 or L38 530 L39

L38 ((compar\$ with (path\$ or way\$ or route\$)) same gps\$) and @pd<=20031024 306 L38

L37 ((compar\$ with (path\$ or way\$ or route\$)) same gps\$) and @ad<=20031024 521 L37

DB=PGPB,USPT,USOC; THES=ASSIGNEE; PLUR=YES; OP=OR

L36 L35 and @ad<=20031024 26 L36

L35 L34 and ((compar\$ with (path\$ or way or route)) with (predict\$ or forecast\$)) and ((calculat\$ or desire\$ or plan\$) with (path\$ or way or route)) 41 L35

L34 (701/202 |701/208 |701/209 |701/210 |701/213).ccls. 5214 L34

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD;

THES=ASSIGNEE; PLUR=YES; OP=OR

L33 L32 and ((calculat\$ or desire\$ or plan\$) with (path\$ or way or route)) 21 L33

L32 L30 and ((compar\$ with (path\$ or way or route)) with (predict\$ or forecast\$)) 34 L32

L31 L30 and (compar\$ with (predict\$ or forecast\$)) 36 L31

L30 L16 and ((701/201 |701/202 |701/208 |701/209 |701/210 |701/211 |701/213).ccls.) 44 L30

L29 L28 and ((701/201 |701/202 |701/208 |701/209 |701/210 |701/211 |701/213).ccls.) 1 L29

<u>L28</u>	L24 or L25	45	<u>L28</u>
<u>L27</u>	L26	9	<u>L27</u>
<u>L26</u>	L25	9	<u>L26</u>
<u>L25</u>	(linear\$ with regression\$) and (pitch\$ and yaw\$ and (speed\$ or velocit\$)) and L11	9	<u>L25</u>
<u>L24</u>	(linear\$ with regression\$) and (pitch\$ and yaw\$ and (speed\$ or velocit\$)) and gps\$	45	<u>L24</u>
<u>L23</u>	(linear\$ with regression\$) and (pitch\$ and yaw\$ and (speed\$ or velocit\$)) and L16	1	<u>L23</u>
<u>L22</u>	(linear\$ adj regression\$) and (pitch\$ and yaw\$ and (speed\$ or velocit\$)) and L16	1	<u>L22</u>
<u>L21</u>	(linear\$ adj regression\$ adj model\$) and (pitch\$ and yaw\$ and (speed\$ or velocit\$)) and L16	1	<u>L21</u>
<u>L20</u>	L19 and (pitch\$ or yaw\$ or (speed\$ or velocit\$))	2	<u>L20</u>
<u>L19</u>	L16 and (linear\$ adj regression\$ adj model\$)	2	<u>L19</u>
<u>L18</u>	L17 and ((speed\$ or velocit\$) with (vehicle or car\$ or automobil\$))	7	<u>L18</u>
<u>L17</u>	L16 and ((confide\$ or trust\$ or reliab\$) near2 (degree\$ or level\$ or scal\$))	16	<u>L17</u>
<u>L16</u>	L14 or L15	189	<u>L16</u>
<u>L15</u>	L13 and @pd<=20031024	122	<u>L15</u>
<u>L14</u>	L13 and @ad<=20031024	189	<u>L14</u>
<u>L13</u>	gps\$ and ((compar\$ with (path\$ or way or route)) same (predict\$ or forecast\$))	287	<u>L13</u>
<u>L12</u>	L10 and @pd<=20031024	5820	<u>L12</u>
<u>L11</u>	L10 and @ad<=20031024	9464	<u>L11</u>
<u>L10</u>	gps\$ and ((compar\$ with (path\$ or way or route)) sme (predict\$ or forecast\$))	15325	<u>L10</u>

DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR

<u>L9</u>	gps\$ and vehicle and ((compar\$ with confiden\$) same error\$)	0	<u>L9</u>
<u>L8</u>	gps\$ and vehicle and ((compar\$ with confiden\$) same (threshold\$ with error\$))	0	<u>L8</u>

<u>L7</u>	gps\$ and vehicle and ((colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L7</u>
<u>L6</u>	gps\$ and vehicle and (compar\$ same (colinear\$ or regressi\$) same (threshold\$ with error\$))	0	<u>L6</u>
<i>DB=PGPB; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L5</u>	L1 and (chaos\$ same compar\$)	1	<u>L5</u>
<u>L4</u>	L1 and threshold\$.clm.	1	<u>L4</u>
<u>L3</u>	L1 and (error\$ same threshold\$)	1	<u>L3</u>
<u>L2</u>	L1 and (colinear\$ same confiden\$)	1	<u>L2</u>
<u>L1</u>	20050090938	1	<u>L1</u>

END OF SEARCH HISTORY